

YMCKI RIBBON


Allows Retransfer Printing on cards with magnetic stripe and signature panel



The Evolis YMCKI ribbon is specific to retransfer technology. The inhibitor special coated panel (I) prevents the design from being printed on specific parts of the cards such as magnetic stripes and signature panels.

The areas from the card to be saved up by the transfer film are specified in the printer driver. It is possible to define up to 5 different parts on one card.

This ribbon is composed by 5 panels: Yellow, Magenta, Cyan, Black and Inhibitor.



Full panels (length: 98 mm / 3.86")

ADVANTAGES

Capable of printing with a 600 dpi resolution, this ribbon can print images, text or micro-text in high definition. The inhibitor panel makes YMCKI ribbon compatible with cards with chip, magnetic stripe, signature panel and security hologram.

Tested and validated by Evolis R&D and Quality departments, these consumables bring you printing quality and reliability.

GENERAL SPECIFICATIONS

- For retransfer technology
- · For single or dual-sided color printing
- · Ribbon in PET with thin layer of specialized coatings
- \cdot 5 whole panels 98mm (3.86") length Yellow, Magenta, Cyan, Black and Inhibitor
- · Printing lifespan: up to 3 years
- · Compatible with PVC cards, composite PVC cards, PET cards, PC cards, ABS cards





COMPATIBILITY AND CAPACITY

PART#	PRINTS / ROLL	AVANSIA	AGILIA *	RFID Syst.
RT5F012NAA	400	•		•
RT5F103NAAA	600		•	•

^{*}Updated FW and driver are necessary to use YMCKI ribbon with AGILIA printer.

DEFINE THE AREAS FROM THE CARD TO BE SAVED UP IN THE PRINTER DRIVER

Retransfer printing technology transfers a film containing the card design onto the card. The transfer film should not cover a magnetic stripe or a signature panel, otherwise these elements may not be fully functional.

AGILIA: PRE DEFINED SAVING ZONES OR CUSTOM AREAS


Using YMCKI ribbon with inhibitor panel, Notransfer areas can be selected in the Evolis Premium Suite 2 under Printer Settings - Notransfer areas:

- Preset models are available for cards with magnetic stripe and for cards with contact chip
- Custom areas can also be designed. For instance for one banking card with magnetic stripe and signature panel, two non-transfer areas have to be sized and positionned. Up to 5 different areas can be specified.

AVANSIA: UP TO 5 DIFFERENT PARTS ON ONE CARD

Using YMCKI ribbon with inihibitor panel, one or more areas can be specified in Avansia driver to prevent the transfer film being transferred to the card.

Detailed information on myplace.evolis.com.



RFID SYSTEM

Delivered with Evolis Retransfer ribbons, the RFID system:

- · Allows ribbon recognition
- · Secures the use of the printer
- · Monitors the consumable status

AGILIA: RFID TAG INTEGRATED

The RFID tag is integrated into Agilia ribbons.

There is no need to install an electronic key

AVANSIA: ELECTRONIC KEY

The RFID tag is integrated in the electronic key delivered with Avansia ribbons.

The key must be installed with the corresponding ribbon

Without this key, the Avansia printer will not print.



STORAGE INFORMATION

This ribbon shall be capable of functioning for up to 1 year after purchase, if stored in a cool, dry environment and having remained unopened from the original packaging. Temperature of storage must be between 5-25°C (41-77°F) and at RH between 35-65%. Once opened the ribbon shall have a lifetime of 6 months if stored under cool, dry conditions. Avoid dust and direct sunlight. Do not place near solvent or other chemicals.



